

PORTS AND HARBORS

April 7, 2022

Rye Harborside Mr. Peter Reynolds PO Box 768 Rye, NH 03871

Dear Mr. Reynolds,

The Pease Development Authority, Division of Ports and Harbors (the "Division") will be constructing public safety improvements to the entrance of the Rye Harbor Marine Facility over the next few weeks. These improvements include improvements to the pavement along the length of the entrance; delineation of two (2) travel lanes (entrance and exit), and delineation of a dedicated fire lane with line painting and installation of flexible lane delineators. These improvements will result in the elimination of the thirty (30) minute parking along the entrance; therefore, moving forward all public parking at Rye Harbor will be behind the guardrail.

In accordance with item # 9 of your Right of Entry, all utilities to serve the "Premises, and the building thereon, shall be the sole responsibility of the owner of the business (the "Owner")". This includes water service from the Rye Water District. Water will no longer be available to any building from the Division's sill-cock out of the Division's office building. Because Rye Harborside is currently connected to the Divisions main water line, if you wish to continue water service to your building, please propose a plan to connect a water meter so that Rye Harborside water usage can be tracked and billed accordingly.

Furthermore, any contractor other than Rye Water District must be approved by the Division BEFORE any work begins. Once the improvements are completed, any saw cuts made in the existing pavement must be repaired/restored to its original condition.

Any/all work done is at your sole risk and expense, and is subject to the terms and conditions of your current Right of Entry, which is set to expire on June 30, 2023. Please do not hesitate to contact me at 603-365-0503 with any questions or concerns.

Sincerely,

Geno J. Marconi, Division Director

Cc: Pease Development Authority



Invoice Number	INV029312	
Date	12/31/2022	
Page	1	

Bill To:

Rye Harborside Peter Reynolds P.O. Box 768 Rye NH 03870

rchase Order No.	Customer ID	Payment Terms
	RYEHSIDE	UPON RECEIPT
Item Number	Description	Amount
Item Number RYE-MISC	RYERSIDE Description Rye Expense Reimbursement for Water Usage 2022	Amount \$133
emit To:		Total Amount \$133.0

Pease Development Authority 55 International Drive Portsmouth NH 03801

Please address any questions you have regarding this billing to Suzy Anzalone, Director of Finance by calling 603-766-9195 or via email s.anzalone@peasedev.org

Ryc Harborside Water Meter Roading Dec 9,2022 For The 2022 Season



RYE WATER DISTRICT USAGE RATE SCHEDULE

Table 1 - Year-Round & Seasonal Users Annual Charge

Usage included in annual charge is 50,000 gallons (see table 4 for overage fees)

Service Meter Size	RWD Supplied	Portsmouth Supplied
5/8	133.00	255.00
3/4	163.00	285.00
1	194.00	326.00
1-1/4	230.00	362.00
1-1/2	270.00	403.00
2	393.00	525.00
3	790.00	923.00
4	1,586.00	1,719.00

Table 2 - Multi-Unit User Annual Charge

Multi-units on one meter pay 5/8" meter annual charge in Table 1 times # of dwelling units Usage included in annual charge is 50,000 gallons times # of dwelling units

Table 3 - Seasonal Unit Charge

Usage included in annual charge is 100,000 gallons total (see table 4 for overage fees)

Seasonal multi-unit users on one meter are cha	rged an annual rate based on meter size from Table . PLUS
Seasonal uni	r LOS it charge in Table 3
Unit Range Seasonal Unit Charge	
1-4 units	153.00
5-7 units 193.00	
8-10 units 229.00	
11-14 units 270.00	
15-22 units	393.00

Table 4 - Usage Overage Rate

After annual allotment

Overage (gallons)	RWD Supplied
for the next 50,000 used	3.50
for the next 100,000 used	4.05
for the next 300,000 used	5.20
above 300,000 used	6.40

Overage (gallons)	Portsmouth Supplied	
For the next 150,000 used	5.80	
Above 200,000 used	6.40	

bankprov.

Pease Development Authority - Susan Coleman

Ref	erence Number NWY0PLGPLF2			€
Fro	nt Image			
	GRANITE STATE WHALE WATCH INC 1870 OCEAN BLVD 603-964-5645 RYE, NH 03870 Pay to the PDA - DF Order of Bull Muliped T People's United Bank peoples.com For What People S.com	December December Hirry three	er It 125 Date of 135 Smol postars NO ey ruly	1550 1-7210/2211 Bbd173 CHECK AMMER
	Image	_	(Ip/Io	rozesaliś iercos
	2:01 PMG1/05/23-0DEFUSITE	D VIA ROC		Pease Development Authority Pease Development Authority Pease Development Authority - Gen Oper Remote Deposit Cantur



Invoice Number	INV031055	
Date	10/3/2023	
Page	1	

Bill To:

Rye Harborside Peter Reynolds P.O. Box 768 Rye NH 03870

rchase Order No.	Customer ID	Payment Terms
	RYEHSIDE	UPON RECEIPT
Item Number	Description	Amount
RYE-MISC	Rye Miscellaneous Revenue - Water Usage 2023	\$133.0

Remit To:

Total Amount

\$133.00

Pease Development Authority 55 International Drive Portsmouth NH 03801

Please address any questions you have regarding this billing to Suzy Anzalone, Director of Finance by calling 603-766-9195 or via email s.anzalone@peasedev.org METER READING 10/4/23
LAST READING 12/2022
48718
USAGE FOR 2023 37683
RIE HARBORSIDE

CCC86407

U.S.GALLONS

1/2" AS130U 50 AWWA 104°F





20 017314

RYE WATER DISTRICT USAGE RATE SCHEDULE

Table 1 - Year-Round & Seasonal Users Annual Charge

Usage included in annual charge is 50,000 gallons (see table 4 for overage fees)

Service Meter Size	RWD Supplied	Portsmouth Supplied
5/8	133.00	255.00
3/4	163.00	285.00
1	194.00	326.00
1-1/4	230.00	362.00
1-1/2	270.00	403.00
2	393.00	525.00
3	790.00	923.00
4	1,586.00	1,719.00

Table 2 - Multi-Unit User Annual Charge

Multi-units on one meter pay 5/8" meter annual charge in Table 1 times # of dwelling units
Usage included in annual charge is 50,000 gallons times # of dwelling units

Table 3 - Seasonal Unit Charge

Usage included in annual charge is 100,000 gallons total (see table 4 for overage fees)

	rged an annual rate based on meter size from Table 1 PLUS
Seasonal uni	t charge in Table 3
Unit Range Seasonal Unit Charge	
1-4 units	153.00
5-7 units	193.00
8-10 units 229.00	
11-14 units	270.00
15-22 units	393.00

Table 4 – Usage Overage Rate

After annual allotment

Overage (gallons)	RWD Supplied
for the next 50,000 used	3.50
for the next 100,000 used	4.05
for the next 300,000 used	5.20
above 300,000 used	6.40

Overage (gallons)	Portsmouth Supplied
For the next 150,000 used	5.80
Above 200,000 used	6.40

bankprov.

Pease Development Authority - Susan Coleman

Front Image

Granite State Whole Watch, Inc.
1870 Ocean Blvd
Rya, NH 03470
(803) 804 6645

DATE October 9, 202194220

M&I Bank

FOR Water Usace State Whole Watch, Inc.
1870 A-DPH

M&I Bank

FOR Water Usace State Manage

Back Image